

iLOQ


iLOQ S50 Padlock portfolio

Battery-free and keyless
digital padlocks



iLOQ S50 Padlock portfolio

Battery-free and keyless digital padlocks




No need to replace batteries

iLOQ's padlocks harvest energy from a smartphone's NFC induction: no need to replace batteries.



Real-time access management

Access rights are programmed and revoked using iLOQ's cloud-based software: they are sent remotely and in real time to the app on the user's smartphone.



Real-time monitoring

Audit trails are sent in real time (requires access to mobile data) from the user's smartphone: easy to see who has opened what, when and where (using GPS coordinates).



Robust hardware

iLOQ's padlocks operate reliably in all conditions and harsh environments:

- Corrosion resistance: 96h salt spray
- Ingress protection rating: IP68
- Temperature range: from -40°C to +80°C




Certified

EN16864

CE, FCC, ISED, ACMA, RSM


IP 55, SKG, VdS

Grade 3




	Shackle length (L)	Product reference
Open and close with credentials	25 mm	H50S.331.25
	60 mm	H50S.331.60
	110 mm	H50S.331.110
Open with credentials and close by pushing	25 mm	H50S.341.25
	60 mm	H50S.341.60
	110 mm	H50S.341.110

Grade 4



	Shackle length (L)	Product reference
Open and close with credentials	28 mm	H50S.431.28
	50 mm	H50S.431.50
Open with credentials and close by pushing	28 mm	H50S.441.28
	50 mm	H50S.441.50

Grade 5



	Shackle length (L)	Product reference
Open and close with credentials	27 mm	H50S.531.27
	50 mm	H50S.531.50
Open with credentials and close by pushing	27 mm	H50S.541.27
	50 mm	H50S.541.50

iLOQ S50 padlock accessories



Chain retaining clamp

This accessory, installed in the shackle, enables a non-removable chain to be added. Available for Grade 3 and 4 padlocks.



Shackle protector

This accessory, installed over the padlock body, protects the shackle and enables a non-removable chain to be added. Available for Grade 4 padlocks.

Connect with
iLOQ Sales



<https://www.iloq.com/en/contact-request/>

Follow us online

www.iLOQ.com



iLOQ

