







































## STATIC CAMERAS

VIP SERIES VARIFOCAI DOME CAMERAS	JUNCTION BOX	JUNCTION BOX WITH SUNSHIELD	JUNCTION BOX + WALL MOUNT	JUNCTION BOX + WALL MOUNT + POLE MOUNT	IN CEILING MOUNT
VIP-D2MP27V135IRVMAUAL VIP-D5MP27V135IRVMAUAL VIP-D8MP28V121RVMAUAL	 VIP-JB04 (0916520)	 VIP-JB04 (0916520) +  VIP-SS02 (0916620)	 VIP-JBWM01 (0916550)	 VIP-JBWM01 (0916550) +  VIP-PM03 (0916600)	 VIP-ICM01 (0916480)
VIP SERIES FIXED DOME & TURRET CAMERAS	JUNCTION BOX	JUNCTION BOX WITH SUNSHIELD	JUNCTION BOX + WALL MOUNT	JUNCTION BOX + WALL MOUNT + POLE MOUNT	
VIP-D2MP28IRVRAUAL VIP-D5MP28IRVRAUAL VIP-T5MP28IRM VIP-T5MP40IRM VIP-T8MP28IRM VIP-T5MP28IRWLM VIP-T5MP40IRWLM VIP-T8MP28IRWLM VIP-T8MP40IRWLM	 VIP-JB02 (0916500)	 VIP-JB02 (0916500) +  VIP-SS01 (0916610)	 VIP-JBWM02 (0916560)	 VIP-JBWM02 (0916560) +  VIP-PM03 (0916600)	
VIP SERIES VARIFOCAI TURRET AND FISHEYE CAMERAS	JUNCTION BOX	JUNCTION BOX WITH SUNSHIELD	JUNCTION BOX + WALL MOUNT	JUNCTION BOX + WALL MOUNT + POLE MOUNT	
VIP-T5MP27V135IRM VIP-T8MP28V121IRM VIP-F5MP14IRMAUAL	 VIP-JB03 (0916510)	 VIP-JB03 (0916510) +  VIP-SS02 (0916620)	 VIP-JBWM03 (0916570)	 VIP-JBWM03 (0916570) +  VIP-PM03 (0916600)	
VIP SERIES FIXED TURRETS	JUNCTION BOX	JUNCTION BOX + POLE MOUNT			
VIP-B5MP28IRM VIP-B8MP28IRM	 VIP-JB05 (0916530)	 VIP-JB05 (0916530) +  VIP-PM01 (0916580)			

## STATIC CAMERAS (CONTINUED)

VIP SERIES VARIFOCAL BULLET CAMERAS	JUNCTION BOX	JUNCTION BOX + POLE MOUNT	
VIP-B2MP27V135IRAUAL VIP-B5MP27V135IRAUAL VIP-B8MP28V12IRAUAL	 <b>VIP-JB06</b> (0916540)	 +  <b>VIP-PM01</b> (0916580)	
VIP SERIES FIXED DOME & TURRET CAMERAS	PENDANT (ADJ. LENGTH)		
VIP-D2MP28IRVRAUAL VIP-D5MP28IRVRAUAL VIP-T5MP28IRM VIP-T5MP40IRM VIP-T8MP28IRM VIP-T5MP28IRWLM VIP-T5MP40IRWLM VIP-T8MP28IRWLM VIP-T8MP40IRWLM	 <b>38mm Top hat/ceiling adapter</b> White: VDM-IMPCA-b (0911900) Black: LCD-IPMCA-b (0911920) OR  <b>38mm Girder/Purlin Clamps</b> White: VDM-IMPGA (0476080) Black: LCD-IPMGA-b (0911910)	 <b>2m 38mm drop pole</b> White: VDM-2MP (0476060) Off-white Ral9016: 707-0018 (0799290) Black: VCBDEL2MB (0898200 ) If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.	 <b>Universal drop pole camera adapter 108mm</b> White: VB-CPAU108W (0925130) Black: VB-CPAU108B (0925170) The 108mm universal camera adaptors allows users to install the camera in the optimum position to suit your location. This camera adaptor will attach to cameras with fixing centres from 45mm up to 100mm. if you wish to attach a junction box to this product refer above to identify the relevant junction box for the camera.
VIP SERIES VARIFOCAL TURRET AND FISHEYE CAMERAS	PENDANT (ADJ. LENGTH)		
VIP-T5MP27V135IRM VIP-T8MP28V12IRM VIP-F5MP14IRMAUAL	 <b>38mm Top hat/ceiling adapter</b> White: VDM-IMPCA-b (0911900) Black: LCD-IPMCA-b (0911920) OR  <b>38mm Girder/Purlin Clamps</b> White: VDM-IMPGA (0476080) Black: LCD-IPMGA-b (0911910)	 <b>2m 38mm drop pole</b> White: VDM-2MP (0476060) Off-white Ral9016: 707-0018 (0799290) Black: VCBDEL2MB (0898200 ) If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.	 <b>Universal drop pole camera adapter 123mm</b> White: VB-CPAU123W (0925140) Black: VB-CPAU123B (0925180) The 123mm universal camera adaptors allows users to install the camera in the optimum position to suit your location. This camera adaptor will attach to cameras with fixing centres from 45mm up to 115mm. if you wish to attach a junction box to this product refer above to identify the relevant junction box for the camera.
VIP SERIES VARIFOCAL TURRET AND FISHEYE CAMERAS	PENDANT (ADJ. LENGTH)		
VIP-D2MP27V135IRVRMAUAL VIP-D5MP27V135IRVRMAUAL VIP-D8MP28V12IRVRMAUAL	 <b>38mm Top hat/ceiling adapter</b> White: VDM-IMPCA-b (0911900) Black: LCD-IPMCA-b (0911920) OR  <b>38mm Girder/Purlin Clamps</b> White: VDM-IMPGA (0476080) Black: LCD-IPMGA-b (0911910)	 <b>2m 38mm drop pole</b> White: VDM-2MP (0476060) Off-white Ral9016: 707-0018 (0799290) Black: VCBDEL2MB (0898200 ) If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.	 <b>Universal drop pole camera adapter 145mm</b> White: VB-CPAU145W (0925150) Black: VB-CPAU145B (0925190) The 145mm universal camera adaptors allows users to install the camera in the optimum position to suit your location. This camera adaptor will attach to cameras with fixing centres from 45mm up to 140mm. if you wish to attach a junction box to this product refer above to identify the relevant junction box for the camera.

## STATIC CAMERAS (CONTINUED)

<b>VA SERIES VARIFOCAI DOME CAMERAS</b>	<b>JUNCTION BOX</b>			
VA-D2MP28V12IRVR VA-D5MP28V12IRVR	 VA-JB01 (0922050)			
<b>VA SERIES VARIFOCAI TURRET CAMERAS</b>	<b>INTERNAL JUNCTION BOX</b>	<b>JUNCTION BOX</b>	<b>JUNCTION BOX + SIDE POLE</b>	
VA-T2MP28V12IR VA-T5MP28V12IR	 VA-JB02 (0922060)	 VL-EDJB (0871810)	 VL-EDJB (0871810)	 VL-EPMA (0870410)
<b>VA SERIES VARIFOCAI BULLET CAMERAS</b>	<b>INTERNAL JUNCTION BOX</b>	<b>JUNCTION BOX</b>	<b>JUNCTION BOX + SIDE POLE</b>	
VA-B2MP28V12IR VA-B5MP28V12IR	 VA-JB03 (0922070)	 VL-BLJB (0870400)	 VL-BLJB (0870400)	 VL-EPMA (0870410)
<b>VLI RANGE FIXED AND VARIFOCAI EYEBALL CAMERAS</b>	<b>JUNCTION BOX</b>	<b>SIDE POLE</b>		
VLI-4ED28V12IRS VLI-4ED28V12IRQ VLI-4ED28IRQ	 VL-EDJB (0871810)	 VL-EDJB (0871810)	 VL-EPMA (0870410)	
<b>VLI RANGE FIXED AND VARIFOCAI BULLET CAMERAS</b>	<b>JUNCTION BOX</b>	<b>SIDE POLE</b>		
VLI-4BL28IRQ VLI-4BL28V12IR VLI-4BL28V12IRQ VLI-4BL28V12IRS VLI-4BL28V12IRQM	 VL-BLJB (0870400)	 VL-BLJB (0870400)	 VL-EPMA (0870410)	
<b>INTERNAL CAMERAS</b>	<b>CEILING</b>	<b>PENDANT (ADJ. LENGTH)</b>		
VFDA28V12HDA-XXX VK2-2MPXVFDIR28V12M	 DJBW (0811180)	 <b>38mm Top hat/ceiling adapter</b> White: VDM-IMPCA-b (0911900) Black: LCD-IPMCA-b (0911920)	 <b>2m 38mm drop pole</b> White: VDM-2MP (0476060) Off-white Ral9016: 707-0018 (0799290) Black: VCBDEL2MB (0898200)	 <b>Universal Camera pole adapter 123mm</b> White: VB-CPAU123W (0925140) Black: VB-CPAU123B (0925180)
	<b>WALL</b>	 VCW-IWMB (0825400)	OR  <b>38mm Girder/Purlin Clamps</b> White: VDM-IMPGA (0476080) Black: LCD-IPMGA-b (0911910)	 <b>2m 38mm drop pole</b> White: VDM-2MP (0476060) Off-white Ral9016: 707-0018 (0799290) Black: VCBDEL2MB (0898200)
<b>BULLET CAMERAS</b>	<b>JUNCTION BOX</b>			
VBC28V12MHDAAW VK2-2MPXBIR28V12M VK2-4MPXBIR28V12M VK2-1080XNPR10Z VLI-4ED28IRQ VLI-4BL28IRQ VLI-4BL28V12IR VLI-4BL28V12IRQ VLI-4BL28V12IRQM VLI-4BL28V12IRS VA-B2MP28V12IR VA-B5MP28V12IR	 VK2L-BB (0481690)			























## STATIC CAMERAS (CONTINUED)

EXTERNAL DOMES	CEILING	WALL	WALL & J. BOX	CORNER	SIDE POLE	PENDANT FIXED
VK2-2MPXVRDIR28V12M VK2-4MPXVRDIR28V12M VVRD28V12MHDAIRSW VVRD28V12MHDAIRW VVRD28V12MHDAAW	<p><b>DJBW</b> (0811180)</p>	<p><b>VCW-EWMB</b> (0815480)</p>	 +  <b>VDM-WMJB</b> (0366930)	See Wall Mount with J. Box  +  <b>VDM-ECAW</b> (0718920)	See Wall Mount with J. Box  +  <b>VDM-EPMW</b> (0718930)	<p><b>VRD-EPMBW</b> (0811200) length 300mm</p>
	SWAN NECK	PENDANT (ADJ. LENGTH)				
	 OR <p><b>VRD-TMW</b> (0811210) OR <b>VRD-TMJBW</b> (0811220) with integral junction box</p>	 White: VDM-IPMCA-b (0911900) Black: LCD-IPMCA-b (0911920) OR  White: VDM-IPMGA (0476080) Black: LCD-IPMGA-b (0911910)	 White: VDM-2MP (0476060) Off-white Ral9016: 707-0018 (0799290) Black: VCBDEL2MB (0898200)  + <i>If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.</i>	 White: VB-CPAU123W (0925140) Black: VB-CPAU123B (0925180)		

## PTZ DOMES

VIP RANGE	JUNCTION BOX	POLE MOUNT + WALL MOUNT	POLE MOUNT + WALL MOUNT + J. BOX	CORNER MOUNT + WALL MOUNT	CORNER MOUNT + WALL MOUNT + J. BOX	
VIP-P4MPX25IRVRAUAL	<p><b>VIP-JB01</b> (0916490)</p>	 + <p><b>VIP-PM02</b> (0916590) OR <b>VIP-WM01</b> (0916630)</p>	See Pole Mount + Wall Mount  + <p><b>VIP-JB01</b> (0916490)</p>	 + <p><b>VIP-CM01</b> (0916470) OR <b>VIP-WM01</b> (0916630)</p>	See Corner Mount + Wall Mount  + <p><b>VIP-JB01</b> (0916490)</p>	
	WALL MOUNT	WALL MOUNT WITH J. BOX	CORNER MOUNT	SIDE POLE MOUNT	SWAN NECK	PENDANT (FIXED LENGTH)
	<p><b>VDM-WMVP</b> (0366940)</p>	 + <p><b>VDM-WMVP</b> (0366940) OR <b>VDM-WMJB</b> (0366930)</p>	See Wall Mount with J. Box  + <p><b>VDM-ECAW</b> (0718920)</p>	See Wall Mount with J. Box  + <p><b>VDM-EPMW</b> (0718930)</p>	 OR <p><b>V-TM</b> (0922940) OR <b>VDM-TMJB</b> (0476350) with integral junction box</p>	 OR <p><b>VPP-IPMB1000</b> (0472190) length 1000mm OR <b>VPP-IPMB2000</b> (0472200) length 2000mm</p>

## PTZ DOMES (CONTINUED)

VMI RANGE	WALL MOUNT	WALL MOUNT WITH J. BOX	CORNER MOUNT	SIDE POLE MOUNT	SWAN NECK	
VMI-2MPX23IR-SMW VMI-2MPX23IR-SMW(B)	 <b>VMI-EWM</b> (0911630)	 <b>VMI-EWM</b> (0911630)	See Wall Mount with J.box	See Wall Mount with J.box	 <b>V-TM</b> (0922940) OR  <b>VDM-TMJB</b> (0476350) with integral junction box	
		+	+	+	+	
		 <b>VDM-WMJB</b> (0366930)	 <b>VDM-ECMAW</b> (0718920)	 <b>VDM-EPMAW</b> (0718930)	 <b>VMI-1.5NPT</b> (0911640)	
		<b>PENDANT (FIXED LENGTH)</b>	<b>PENDANT (ADJ. LENGTH)</b>			
	 <b>VPP-IPMB1000</b> (0472190) 1000mm OR  <b>VPP-IPMB2000</b> (0472200) 2000mm	 <b>38mm Top hat/ceiling adapter</b> White: VDM-IPMCA-b (0911900) Black: LCD-IPMCA-b (0911920)	 <b>2m 38mm drop pole</b> White: VDM-2MP (0476060) Off-white Ra19016: 707-0018 (0799290) Black: VCBDEL2MB (0898200)		 <b>VPP-IPMAW</b> (0663570)	
+	OR	+	+			
 <b>VMI-1.5NPT</b> (0911640)	 <b>38mm Girder/Purlin Clamps</b> White: VDM-IPMGA (0476080) Black: LCD-IPMGA-b (0911910)	If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.		 <b>VMI-1.5NPT</b> (0911640)		
	<b>JUNCTION BOX &amp; WALL MOUNT</b>	<b>CORNER MOUNT &amp; WALL MOUNT</b>	<b>POLE MOUNT &amp; WALL MOUNT</b>			
 <b>VMI-JB1</b> (0891860)	 <b>VMI-ECM</b> (0891870)	 <b>VMI-PM</b> (0891890)				
+	+	+				
 <b>VMI-WM</b> (0891880)	 <b>VMI-WM</b> (0891880)	 <b>VMI-WM</b> (0891880)				

## PTZ DOMES (CONTINUED)

VP RANGE	SOLID CEILING	WALL	FALSE CEILING	WALL & J. BOX	CORNER	SIDE POLE
VP-HDA20-SMW VP-HDA20IR-SMW	<b>DJBW</b> (0811180)	<b>VCW-EWMB</b> (0815480)	<b>VPL-SM-FMW</b> (0508680)  <i>PLEASE NOTE: Not for use with the VK2- HDX23IR-SMW</i>	<b>VDM-WMVRD</b> (0366950)  +	See Wall Mount with J. Box  +	See Wall Mount with J. Box  +
	<b>PENDANT (FIXED LENGTH)</b>	<b>SWAN NECK</b>	<b>PENDANT (ADJ. LENGTH)</b>			
	<b>VRD-EPMBW</b> (0811200) length 300mm	<b>VRD-TMW</b> (0811210) OR <b>VRD-TMJBW</b> (0811220) with integral junction box	<b>38mm Top hat/ceiling adapter</b> <i>White:</i> VDM-IPMCA-b (0911900) <i>Black:</i> LCD-IPMCA-b (0911920) OR <b>38mm Girder/Purlin Clamps</b> <i>White:</i> VDM-IMPGA (0476080) <i>Black:</i> LCD-IPMGA-b (0911910)	+		<b>2m 38mm drop pole</b> <i>White:</i> VDM-2MP (0476060) <i>Off-white Ral9016:</i> 707-0018 (0799290) <i>Black:</i> VCBDEL2MB (0898200 )  <i>If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.</i>
					<b>VPL-IPMAW</b> (0718930)	
VK2 RANGE	WALL MOUNT	WALL MOUNT WITH J. BOX	CORNER MOUNT	SIDE POLE MOUNT	SWAN NECK	PENDANT (FIXED LENGTH)
VK2-4KX30IR-PM	<b>VDM-WMVP</b> (0366940)	<b>VDM-WMVP</b> (0366940)  +	See Wall Mount with J. Box  +	See Wall Mount with J. Box  +	<b>V-TM</b> (0922940) OR <b>VDM-TMJB</b> (0476350) with integral junction box	<b>VPP-IPMB1000</b> (0472190) length 1000mm OR <b>VPP-IPMB2000</b> (0472200) length 2000mm
	<b>PENDANT (ADJ. LENGTH)</b>					
	<b>38mm Top hat/ceiling adapter</b> <i>White:</i> VDM-IPMCA-b (0911900) <i>Black:</i> LCD-IPMCA-b (0911920) OR <b>38mm Girder/Purlin Clamps</b> <i>White:</i> VDM-IMPGA (0476080) <i>Black:</i> LCD-IPMGA-b (0911910)	+		<b>2m 38mm drop pole</b> <i>White:</i> VDM-2MP (0476060) <i>Off-white Ral9016:</i> 707-0018 (0799290) <i>Black:</i> VCBDEL2MB (0898200 )  <i>If longer than 2m is required then use a 2nd pole and cut to required length, the VDM-C coupler will be required.</i>	+	<b>VPP-IPMAW</b> (0663570)