

STATIC CAMERAS

	JUNCTION BOX	JUNCTION BOX WITH SUNSHIELD	JUNCTION BOX + WALL MOUNT	JUNCTION BOX + WALL MOUNT + POLE MOUNT	IN CEILING MOUNT
VIP-D2MP27V135IRVRMAUAL VIP-D5MP27V135IRVRMAUAL VIP-D8MP28V12IRVRMAUAL	 VIP-JB04 (0916520)	 VIP-JB04 (0916520)  VIP-SS02 (0916620)	 VIP-JBWM01 (0916550)	 VIP-JBWM01 (0916550)  VIP-PM03 (0916600)	 VIP-ICM01 (0916480)
VIP-D2MP28IRVRAUAL VIP-D5MP28IRVRAUAL VIP-T5MP28IRM VIP-T5MP40IRM VIP-T8MP28IRM VIP-T5MP28IRWLM VIP-T5MP40IRWLM VIP-T8MP28IRWLM VIP-T8MP40IRWLM	 VIP-JB02 (0916500)	 VIP-JB02 (0916500)  VIP-SS01 (0916610)	 VIP-JBWM02 (0916560)	 VIP-JBWM02 (0916560)  VIP-PM03 (0916600)	
VIP-T5MP27V135IRM VIP-T8MP28V12IRM VIP-F5MP14IRMAUAL VIP-D5MP28V12IRMe VIP-T5MP28V12IRMe VIP-D4MP28M-WI	 VIP-JB03 (0916510)	 VIP-JB03 (0916510)  VIP-SS02 (0916620)	 VIP-JBWM03 (0916570)	 VIP-JBWM03 (0916570)  VIP-PM03 (0916600)	
VIP-B5MP28IRM VIP-B8MP28IRM	 VIP-JB05 (0916530)	 VIP-JB05 (0916530)  VIP-PM01 (0916580)			
VIP-F12MP18IRMAUAL	 VIP-JB08 (0957910)				
VIP-T4MP28WLM-WI	 VIP-JB09 (0965930)	 VIP-JBWM02 (0916560)	 VIP-JBWM02 (0916560)  VIP-PM03 (0916600)		
VIP-B2MP27V135IRAUUAL VIP-B5MP27V135IRAUUAL VIP-B8MP28V121RAUUAL	 VIP-JB06 (0916540)	 VIP-JB06 (0916540)  VIP-PM01 (0916580)			
VIP-B5MP28V12IRMe VIP-B5MP28IRWLM VIP-B8MP28IRWLM	 VIP-JB07 (0925110)	 VIP-JB07 (0925110)  VIP-PM01 (0916580)			

STATIC CAMERAS

	PENDANT (ADJ. LENGTH)		
VIP-D2MP28IRVRAUAL VIP-D5MP28IRVRAUAL VIP-T5MP28IRM VIP-T5MP40IRM VIP-T8MP28IRM VIP-T5MP28IRWLM VIP-T5MP40IRWLM VIP-T8MP28IRWLM VIP-T8MP40IRWLM	 Universal drop pole camera adapter 108mm White: VB-CPAU2H108W (2 Hole) (0948220) VB-CPAU3H108W (3 Hole) (0925130) Black: VB-CPAU2H108B (2 Hole) (0948310) VB-CPAU3H108B (3 Hole) (0925170) <i>The 108mm universal camera adaptors allows users to install the camera in the optimum position to suit your location. This camera adaptor will attach to cameras with fixing centres from 45mm up to 100mm.</i> <i>if you wish to attach a junction box to this product refer above to identify the relevant junction box for the camera.</i>	 1m 38mm Drop pole: White: VB-38P1M2HW (2 Hole) (0948140) Black: VB-38P1M2HB (2 Hole) (0948250) OR 	 38mm Top hat/ceiling adapter White: VDM-IPMCA-b (0911900) (For 2 & 3 Hole brackets) Black: LCD-IPMCA-b (0911920) (For 2 & 3 Hole brackets) OR 
	 Universal drop pole camera adapter 123mm White: VB-CPAU2H123W (2 Hole) (0948230) VB-CPAU3H123W (3 Hole) (0925140) Black: VB-CPAU2H123B (2 Hole) (0948320) VB-CPAU3H123B (3 Hole) (0925180) <i>The 123mm universal camera adaptors allows users to install the camera in the optimum position to suit your location. This camera adaptor will attach to cameras with fixing centres from 45mm up to 115mm.</i> <i>if you wish to attach a junction box to this product refer above to identify the relevant junction box for the camera.</i>	2m 38mm Drop pole: White: VB-38P2M2HW (2 Hole) (0948150) VB-38P2M3HW (3 Hole) (0476060) Black: VB-38P2M2HB (2 Hole) (0948260) VB-38P2M3HB (3 Hole) (0898200) Chrome: VB-38P2M2HC (2 Hole) (0958070) + <i>If longer than 2m is required then use a 2nd pole and cut to required length, the coupler options are below:</i> 	38mm Girder/Purlin Clamps White: VDM-IPMGA (0476080) (For 2 & 3 Hole brackets) Black: LCD-IPMGA-b (0911910) (For 2 & 3 Hole brackets)
	 Universal drop pole camera adapter 145mm White: VB-CPAU2H145W (2 Hole) (0948240) VB-CPAU3H145W (3 Hole) (0925150) Black: VB-CPAU2H145B (2 Hole) (0948330) VB-CPAU3H145B (3 Hole) (0925190) <i>The 145mm universal camera adaptors allows users to install the camera in the optimum position to suit your location. This camera adaptor will attach to cameras with fixing centres from 45mm up to 140mm.</i> <i>if you wish to attach a junction box to this product refer above to identify the relevant junction box for the camera.</i>	Internal Pole coupler for 38mm poles Black: VB-38IPC2HB (2 Hole) (0948280) VDM-C3HB (3 Hole) (0911700) White: VB-38IPC2HW (2 Hole) (0948170) VDM-C3HW (3 Hole) (0911890) Chrome: Use either white or black 2 Hole version depending on customer preference	

STATIC CAMERAS (CONTINUED)

	JUNCTION BOX	WALL MOUNT + J. BOX		CORNER MOUNT + WALL MOUNT + J. BOX	
VA-D2MP28V12IRVR VA-D5MP28V12IRVR VA-D2MP28V12IRVR+C VA-D5MP28V12IRVR+C	 VA-JB01 (0922050)	 VA-WM01 (0936490)	 VA-JB01 (0922050)	 VA-CM01 (0936500)	 VA-WM01 (0936490)
	INTERNAL JUNCTION BOX	JUNCTION BOX		JUNCTION BOX + SIDE POLE	
VA-T2MP28V12IR VA-T5MP28V12IR VA-T2MP28V12IR+C VA-T5MP28V12IR+C	 VA-JB02 (0922060)	 VL-EDJB (0871810)		 VL-EDJB (0871810)	
	JUNCTION BOX			JUNCTION BOX + SIDE POLE	
VA-B2MP28V12IR VA-B5MP28V12IR VA-B2MP28V12IR+C VA-B5MP28V12IR+C	 VA-JB03 (0922070)	 VK2L-BB (0481690)	 VL-BLJB (0870400)	 VL-BLJB (0870400)	
	JUNCTION BOX				
VBC28V12MHDAW VFDA28V12HDA-XXX VK2-2MPXVRDIR28V12M VK2-4MPXVRDIR28V12M VVRD28V12MHDAIRSW VVRD28V12MHDAIRW VVRD28V12MHDAW	 DJBW (0811180)				
	SWAN NECK	WALL	WALL+ J. BOX	CORNER	PENDANT FIXED
VK2-2MPXVRDIR28V12M VK2-4MPXVRDIR28V12M VVRD28V12MHDAIRSW VVRD28V12MHDAIRW VVRD28V12MHDAW	 VRD-TMJBW (0811220) with integral junction box	 VCW-EWMB (0815480)	 VDM-WMVRD (0366950)  VDM-WMJB (0366930)	See Wall Mount with J. Box  VDM-ECMAW (0718920)	 VRD-EPMBW (0811200) length 300mm

PTZ DOMES

	JUNCTION BOX	POLE MOUNT + WALL MOUNT	POLE MOUNT + WALL MOUNT + J. BOX	CORNER MOUNT + WALL MOUNT	CORNER MOUNT + WALL MOUNT + J. BOX
VIP-P4MPX25IRVRAUAL	 VIP-JB01 (0916490)	 VIP-PM02 (0916590)	See Pole Mount + Wall Mount VIP-JB01 (0916490)	 VIP-CM01 (0916470)	See Corner Mount + Wall Mount VIP-JB01 (0916490)
		 VIP-WM01 (0916630)		 VIP-WM01 (0916630)	
	SWAN NECK	PENDANT (FIXED LENGTH)			
	 V-TMv2 (0953400) OR VDM-TMJJB (0476350) with integral junction box		 VPP-IPMB250 (250mm) (0472170) OR VPP-IPMB500 (500mm) (0472180) OR VPP-IPMB750 (750mm) (0966820) OR VPP-IPMB1000 (1000mm) (0472190) OR VPP-IPMB2000 (2000mm) (0472200)		

PTZ DOMES (CONTINUED)

		PENDANT (ADJ. LENGTH)		
VIP-P4MPX25IRVRAUAL		 VPP-IPMA2HW (2 Hole) (0948200)	 1m 38mm Drop pole: <i>White:</i> VB-38P1M2HW (2 Hole) (0948140) <i>Black:</i> VB-38P1M2HB (2 Hole) (0948250) OR  2m 38mm Drop pole: <i>White:</i> VB-38P2M2HW (2 Hole) (0948150) VB-38P2M3HW (3 Hole) (0476060) <i>Black:</i> VB-38P2M2HB (2 Hole) (0948260) VB-38P2M3HB (3 Hole) (0898200) <i>Chrome:</i> VB-38P2M2HC (2 Hole) (0958070) If longer than 2m is required then use a 2nd pole and cut to required length, the coupler options are on page 2.	 38mm Top hat/ceiling adapter <i>White:</i> VDM-IPMCA-b (0911900) (For 2 & 3 Hole brackets) <i>Black:</i> LCD-IPMCA-b (0911920) (For 2 & 3 Hole brackets) OR  38mm Girder/Purlin Clamps <i>White:</i> VDM-IPMGA (0476080) (For 2 & 3 Hole brackets) <i>Black:</i> LCD-IPMGA-b (0911910) (For 2 & 3 Hole brackets)
		 VPP-IPMAW (3 Hole) (0663570)		
		WALL MOUNT WITH J. BOX	CORNER MOUNT	SWAN NECK
		 VMI-EWM (0911630)	See Wall Mount with J.box  VDM-ECMAW (0718920)	 V-TMv2 (0953400) OR  VDM-TMJB (0476350) with integral junction box
		 VDM-WMJB (0366930)		 VMI-1.5NPT (0911640)
		PENDANT (FIXED LENGTH)	PENDANT (ADJ. LENGTH)	
VMI-2MPX23IR-SMW VMI-2MPX23IR-SMW(B) VMI-2MPX23IR-SMW(B2)		 VPP-IPMB250 (250mm) (0472170) OR VPP-IPMB500 (500mm) (0472180) OR VPP-IPMB750 (750mm) (0966820) OR VPP-IPMB1000 (1000mm) (0472190) OR VPP-IPMB2000 (2000mm) (0472200)	 VPP-IPMA2HW (2 Hole) (0948200) OR  VPP-IPMAW (3 Hole) (0663570)	 1m 38mm Drop pole: <i>White:</i> VB-38P1M2HW (2 Hole) (0948140) <i>Black:</i> VB-38P1M2HB (2 Hole) (0948250) OR  2m 38mm Drop pole: <i>White:</i> VB-38P2M2HW (2 Hole) (0948150) VB-38P2M3HW (3 Hole) (0476060) <i>Black:</i> VB-38P2M2HB (2 Hole) (0948260) VB-38P2M3HB (3 Hole) (0898200) <i>Chrome:</i> VB-38P2M2HC (2 Hole) (0958070) If longer than 2m is required then use a 2nd pole and cut to required length, the coupler options are on page 2.
		 VMI-1.5NPT (0911640)	 VMI-1.5NPT (0911640)	 38mm Top hat/ceiling adapter <i>White:</i> VDM-IPMCA-b (0911900) (For 2 & 3 Hole brackets) <i>Black:</i> LCD-IPMCA-b (0911920) (For 2 & 3 Hole brackets) OR  38mm Girder/Purlin Clamps <i>White:</i> VDM-IPMGA (0476080) (For 2 & 3 Hole brackets) <i>Black:</i> LCD-IPMGA-b (0911910) (For 2 & 3 Hole brackets)

PTZ DOMES (CONTINUED)

	JUNCTION BOX & WALL MOUNT	CORNER MOUNT & WALL MOUNT	POLE MOUNT & WALL MOUNT		
VMI-2MPX23IR-SMW VMI-2MPX23IR-SMW(B) VMI-2MPX23IR-SMW(B2)	 VMI-JB1 (0891860)	 VMI-ECM (0891870)	 VMI-PM (0891890)		
	 VMI-WM (0891880)	 VMI-WM (0891880)	 VMI-WM (0891880)		
	SOLID CEILING	WALL	FALSE CEILING	WALL & J. BOX	CORNER
VP-HDA20-SMW VP-HDA20IR-SMW	 DJBW (0811180)	 VCW-EWMB (0815480)	 VPL-SM-FMW (0508680)	 VDM-WMVRD (0366950)	See Wall Mount with J. Box
				 VDM-WMJB (0366930)	 VDM-ECMAW (0718920)
	PENDANT (FIXED LENGTH)	SWAN NECK	PENDANT (ADJ. LENGTH)		
	 VRD-EPMBW (0811200) length 300mm	 VRD-TMJBW (0811220) with integral junction box	 VPL-IPMAW (0718900)	 2m 38mm Drop pole: White: VB-38P2M3HW (3 Hole) (0476060) Black: VB-38P2M3HB (3 Hole) (0898200) <i>If longer than 2m is required then use a 2nd pole and cut to required length, the coupler options are on page 2.</i>	 38mm Top hat/ceiling adapter White: VDM-IPMCA-b (0911900) (For 2 & 3 Hole brackets) Black: LCD-IPMCA-b (0911920) (For 2 & 3 Hole brackets) OR  38mm Girder/Purlin Clamps White: VDM-IPMGA (0476080) (For 2 & 3 Hole brackets) Black: LCD-IPMGA-b (0911910) (For 2 & 3 Hole brackets)