



StylusCom

Smart Intercom System!




- Combines access control and CCTV in one system.
- Up to 2 gates and 2 CCTV cameras connected to a maximum of 4 monitors.
- Super long range over CAT 5 (300 metres).
- Motion detection recording (from one device).
- SD card records stills of visitors/missed callers (not included).
- Option to connect external camera to speech panel for certain applications.
- Easy to wire monitor with wall mounted connection panel.
- 24V 2A dc adaptor included.







House Set Up



Monitor mounting	Flush or Surface
Recording	8Gb Micro SD not included, 32Gb Max
Capacity	Over 50 x 10 second clips (200 on 32Gb card)
Recording type	Motion detection video algorithm
Recording channels	1 (can choose to record from door, or camera)
Recording options	10-60 second video, or still image
Recording resolution	720 x 288 pixels
Screen size	4.3 inch
Scree resolution	480 x 272

CAT5 distance (2 power supplies)	300m / yards
Poly Poly cable (2 power supplies)	Up to 150m / yards aprox
CAT5 distance (1 power supply)	Up to 50m / yards
Poly Poly cable (1 power supply)	Up to 50m / yards

Camera type	Colour CCD analogue
Night vision	Yes, with IR illumination (2m range)
Lens	110 degree viewing angle
Resolution	800 TVL
Relays per door station	2
, ,	2

Door station construction	Marine grade stainless steel & gloss black acrylic trim
Door station mounting	Surface, flush, and pedestal options available
IP rating	55, suitable for exposed locations
Backlighting	Illuminated keypad, button and back lighting

Keypad


Optional, with 3 relays & 1200 codes





STYLUS-VID-AB-EU (Architectural Model)






Stylish curved architectural model. BS316 marine grade, brushed stainless steel construction with gloss acrylic faceplate. Kit includes 1 stylus monitor, 1 speech panel and 2 power supplies.

STYLUS-VID-ABK-EU (Architectural Keypad Model)





Stylish curved architectural model with keypad. BS316 marine grade, brushed stainless steel construction with gloss acrylic faceplate. Kit includes 1 stylus monitor, 1 speech panel and 2 power supplies.

STYLUS-VID-AB-CP-EU (Architectural Model)



Additional architectural door/gate panel.

STYLUS-VID-ABK-C-EU (Architectural Keypad Model)



Additional architectural door/gate panel with keypad.






STYLUS-AUD-AB-EU (Architectural Model)








Stylish curved architectural model. BS316 marine grade, brushed stainless steel construction with gloss acrylic faceplate. Kit includes 1 stylus **AUDIO** handset, 1 speech panel and 2 power supplies.

STYLUS-AUD-ABK-EU (Architectural Keypad Model)







Stylish curved architectural model with Keypad. BS316 marine grade, brushed stainless steel construction with gloss acrylic faceplate. Kit includes 1 stylus **AUDIO** handset, 1 speech panel and 2 power supplies.

STYLUS-AUD-AB-CP-EU (Architectural Model)



Additional architectural door/gate AUDIO panel.

STYLUS-AUD-ABK-CP-EU (Architectural Keypad Model)




Additional architectural door/gate **AUDIO** panel with keypad.





STYLUS-VID-4.3-EU






- Additional monitor.
- Sleek design, featuring a gloss white screen trim.
- Wall mountable, hands free design.
- Touch sensitive buttons.
- Volume control.
- 4.3 inch screen.
- Power supply included.

STYLUS-AUD-4.3-EU






- Additional AUDIO handset.
- Sleek design, featuring a gloss white screen trim.
- Wall mountable, hands free design.
- Touch sensitive buttons.
- Volume control.
- Power supply included.

STYLUS-DOME-EU






- Black Dome camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.

STYLUS-BULLET-EU





- Black Bullet camera.
- Day/Night Vision with a 10 metre night range.
- 700 TVL.
- 4mm fixed lens.
- Power supply not included.