

D.E.C.T 603 PROX **)

Digital Enhanced Cordless Telecommunications

Simple Wireless Access!



- Up to 500 meters open field range!
- Built in PROX reader.
- Working range of 200 meters through 1 exterior concrete, brick or stone wall.
- Up to 4 handsets / indoor units per system.
- Build in voicemail feature to record missed callers at your door or gate (playback from handset).
- Intercall between handsets.
- 2 year warranty.



D.E.C.T 603 PROX **)

Digital Enhanced Cordless Telecommunications



Technical Details			
Outdoor Unit		Indoor Unit	
Relays	2	Power Supply	Charging Base = 5v dc. Wall Unit = 12v dc.
Construction	Marine Stainless & Powder Coated Aluminium	Volume Adjust	Yes
Keypad Relays	3	Voicemail Capacity	16
Power Supply	24v DC (included)	Calling Between Handsets	Yes
Current Consumption	65mA Standby, 400mA Calling	Tag/Card Type	125kHz fixed digit code card, passive type
		Tag/Card Quantity	200 permanent, 20 time restricted, 30 temporary users







D.E.C.T 603 PROX

Digital Enhanced Cordless Telecommunications

__ 603-PX-ABK



603-PX-HF-ABK



Stylish, modern curved profile call point with wall backlighting effect and illuminated keypad, both in neon blue. Constructed from 100% marine grade stainless steel and toughened acrylic face trim. With Prox reader.

603-PX-ASK



— 603-PX-HF-ASK



Stylish, modern curved profile call point with wall backlighting effect and illuminated keypad, both in neon blue. Constructed from 100% marine grade stainless steel and toughened acrylic face trim. Prox reader.



D.E.C.T 603 PROX

Digital Enhanced Cordless Telecommunications

— 603-PX-IMPK-PED







Pedestal mountable, high volume call point with keypad, constructed from marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate trim. With Prox reader.

— 603-PX-IMPK

— 603-PX-HF-IMPK










Sleek, all black call point with keypad, constructed from marine grade stainless steel, powder coated aluminium hood and gloss black toughened acrylic faceplate trim. With Prox reader.




Call Panel prox Dimensions


— 603-IMPK CALL PANEL



— 603-ABK/ASK PROX CALL PANEL




— 603-IMPK-PED CALL PANEL





- 603-EH






Additional handsets (up to total of 4 max per intercom, can be a mix and match of both styles.)

— 603-HF-EH






Wall Mount Bracket

Additional handsets (up to total of 4 max per intercom, can be a mix and match of both styles.)

603-WIFIA






Range boosting antenna which can be added to transmitter at gate and also optionally to the handsfree monitor type. One antenna can boost range by 30%. Comes with 2 metre antenna cable (RG174 with SMA male connector).



PROXIMITY CARDS

— PROXCARD-125K-AES






Single Proximity Card

- -125KHz fixed 10 digit code Card.
- -Add to intercom remotely by SMS text or APP.

PROXCARD-125K-AES-10PK






10 Pack Proximity Card

- -125KHz fixed 10 digit code Card.
- -Add to intercom remotely by SMS text or APP.

PROXCARD-125K-AES-50PK





50 Pack Proximity Card

- -125KHz fixed 10 digit code Card.
- -Add to intercom remotely by SMS text or APP.



PROXIMITY TAGS

— AES-PROX-TAG-10

-10x Prox badge AES logo.



— AES-PROX-TAG-25

-25x Prox badge AES logo.



AES-PROX-TAG-50

- 50x Prox badge AES logo.



— AES-PROX-TAG-100

- 100x Prox badge AES logo.

